

**Shure** **SAFE**<sup>®</sup>

*Security Drawers • Deal Trays • Intercom Systems  
Secure Casework Cabinetry • Storage And Shelving Solutions*

636.390.7100, EXT. 7176

**www.SHURESAFE.com**

SHURESAFESALES@SHUREUSA.COM

# Our History

Shure dates back to 1910 when Richard C. Richardson and a partner operated an architectural sheet metal workshop in St. Louis, MO. In 1920, Richard's son, Joseph A. Richardson, joined his father as a sheet metal craftsman. He later became a registered professional engineer and industry leader.

In the early 1930's, Joe joined Anheuser-Busch where he worked on the fabrication of metal ice cream cabinets and beer dispensing boxes. In 1938, Joe and a friend leased a Texaco service station. The business taught Joe how to best merchandise and sell tires, batteries, accessories and automotive service. The sideline business later formed the basis for the direction of Shure Manufacturing Corporation.

In December 1941, Joe joined with Samuel J. Shure in St. Louis to start a metal shop. As World War II began, the company focused on war related products such as airplane parts, fire extinguishers and stove cabinets. After the war, Joe relied on his automotive experience and was asked to assist another St. Louis company in filling a contract for General Motors. Samuel and Joe were given an order to manufacture high-quality, enamel finished workbenches, cabinets, merchandise displays and desks.

Eventually, Shure began to assist national accounts, such as Shell Oil, Texaco, Conoco, Firestone and Chrysler to supply retail sales and shops with productive and image related merchandising furniture fixtures and cabinetry. Shure supported and continues to support independent automotive and equipment distributors, as well as national account programs.

While Shure's focus on the automotive industry has not changed, the industry has changed dramatically. Through the years, Shure's product lines have developed and expanded into new markets, to include a full line of workbench systems, storage cabinets, tool storage cabinets, cart systems, tire service equipment and various shop equipment, as well as shelving and storage solutions.

*As a third generation family owned and operated company, Shure's personal touch continues to be the hallmark for customer interaction.*

**ShureSAFE®** products help manage high-risk situations, protect assets & are designed for both interior & exterior sites. Shure's extensive line of secure transaction products range from UL® approved bullet resistant drawers to deal trays & communication systems.

Shure's state-of-the-art manufacturing facility features high-tech laser precision cutting equipment & computerized fabrication equipment. Along with secure transaction products, secure case work cabinetry, shelving & storage cabinets, Shure also engineers & manufactures high-quality professional workbenches, tool storage & various shop equipment.

*Contact Shure with your custom fabricated requirement.*

## ***ShureSAFE® Products Are Utilized In Numerous Industries & Markets Such As:***

- Government - Federal, State, Local • Correctional Facilities • Law Enforcement
- Weapons Transfer • Pharmacies • Convenience Stores • Fuel Kiosks • Fast Food Restaurants
- Department Stores / Retail • Financial Facilities • Banking Industry • Check Cashing Centers
- Loan Centers • 24 Hour Facilities • Schools, Colleges & Universities • Ticket Windows

**Shure** **SAFE**®

636-390-7100, EXT. 7176  
SHURESAFESALES@SHUREUSA.COM  
1901 West Main Street • Washington, MO 63090

*Visit Us At...*



[www.SHURESAFE.COM](http://www.SHURESAFE.COM)

2



JOSEPH A. RICHARDSON

Quality **HAND CRAFTSMANSHIP**

STATE-OF-THE-ART EQUIPMENT & ENGINEERING  
CUSTOM ENGINEERED SOLUTIONS  
ENGINEERING FACILITY LAYOUT & CUSTOMIZATION  
3D DESIGN MANUFACTURING



<b>4</b>	330 SERIES TRANSACTION DRAWERS	<b>12</b>	INTERCOM SYSTEMS
<b>6</b>	T-WALL SERIES TRANSACTION DRAWERS	<b>13</b>	ACCESSORIES
<b>8</b>	ER SERIES TRANSACTION DRAWERS	<b>14</b>	SECURE CASE WORK CABINETRY, STORAGE & SHELVING SOLUTIONS
<b>10</b>	DUO SERIES TRANSACTION DRAWERS	<b>18</b>	TERMS & CONDITIONS
<b>11</b>	LC SERIES TRANSACTION DRAWERS	<b>19</b>	PRODUCT WARRANTY
<b>11</b>	DT SERIES STATIONARY & SLIDING DEAL TRAYS		

FOR CAD & SPECIFIC DETAILS, PLEASE VISIT

[www.SHURESAFE.COM](http://www.SHURESAFE.COM)



3

UL® Approved Security Drawers & Extended Security Drawers Are Ideal Solutions  
For Pharmacies, Convenience Stores, Correctional Facilities, Financial Facilities,  
Check Cashing / Loan Centers, Law Enforcement & Government Facilities

## EXTENDED SECURITY DRAWER

### UL® APPROVED SECURITY DRAWER

# 330 SERIES

TRANSACTION DRAWERS



**MODEL #SPT330**

**FEATURES:**

- Removable Deal Tray Exposes Large Transfer Area For Transferring Currency Bags, Gallon-Sized Containers & Bulky Objects
- Self-Opening & Closing Transaction Area Cover Prevents Simultaneous Customer & Operator Access
- Restricts Outside Airflow & External Environment Penetration
- Designed For Installation In Up To 4 1/2" Thick Walls
- UL® Approved Level 3 Bullet Resistance



Includes Built-In Speaker / Microphone,  
Amplifier And Gooseneck Intercom Console  
For Two-Way Communication

MODEL #	OVERALL DIMENSIONS	FRAME FACE	TRANSFER AREA	WALL OPENING	WEIGHT (LBS)
SPT330	24"W x 28"D x 10"H	26"W x 11 1/16"H	13 1/2"W x 16"D x 6"H	24 1/4"W x 10 1/4"H	140 +/-



**MODEL #SPT217**

**FEATURES:**

- Extended Version Of Model #SPT330 Security Drawer
- Removable Deal Tray To Expose Larger Transfer Area For Transferring Currency Bags, Gallon-Sized Containers & Bulky Objects
- Self-Opening & Closing Transaction Area Cover Prevents Simultaneous Customer & Operator Access
- Restricts Outside Airflow & External Environment Penetration
- Designed For Installation In Up To 8" Thick Walls
- UL® Level 3 Bullet Resistant Faceplate Insert



Includes Built-In Speaker / Microphone,  
Amplifier And Gooseneck Intercom Console  
For Two-Way Communication

MODEL #	OVERALL DIMENSIONS	FRAME FACE	TRANSFER AREA	WALL OPENING	WEIGHT (LBS)
SPT217	24"W x 31"D x 10"H	26"W x 11 1/16"H	13 1/2"W x 19"D x 6"H	24 1/4"W x 10 1/4"H	145 +/-

636.390.7100, EXT. 7176

[WWW.SHURESAFE.COM](http://WWW.SHURESAFE.COM)  
SHURESAFESALES@SHUREUSA.COM



NOTE: All Weights & Dimensions Are Approximate

# T-WALL SERIES

TRANSACTION DRAWERS

**T-Wall Series Drawers Are An Ideal Solution For Pharmacies, Convenience Stores, Correctional Facilities, Law Enforcement, Financial Facilities, Fast Food Restaurants & Government Facilities**



**MODEL #SPT198**



**MODEL #SPT319**



**MODEL #SPT150**



**MODEL #SPT160**



**MODEL #SPT-FR101**



**MODEL #SPT350**



**MODEL #SPT354**

## FEATURES:

- Economical Security Solution For Cashier & Ticket Windows, Administrative, Retail & Convenience Store Environments, Outdoor Payment Kiosks & Other Point-of-Sale Contacts
- Suitable For Walk-Up / Drive-Thru Applications In Interior & Exterior Environments
- Designed With An Extending Tray Housing For Installation Through Walls, In Counter Tops With A Window Above, In Kiosks Or Through Other Window / Wall Arrangements
- Full-Depth Removable Deal Tray For Document, Cash, Credit & Small Transactions (Excludes Model #SPT-FR101)
- Model #SPT-FR101 Is Certified At 45 Minutes Through A Fire Rated Wall
- Model #SPT319 Is Equipped With A Storage Compartment With A Forward-Hinged Lid That Conceals Contents From Customer View
- Model #SPT160 Is Equipped With A Double-Hinged Lid That Prevents Simultaneous Customer & Operator Access To The Transfer Area
- Models SPT350 Includes A Currency Clip
- Models SPT198, SPT-FR101, SPT150, SPT160 & SPT354 Are Designed For Installation In Up To 8" Thick Walls
- Models SPT350 & SPT319 Are Designed For Installation In Up To 4 1/2" Thick Walls
- Optional Accessory For Model #SPT198 & Model #SPT319: Free-Standing Cup Holder Model #SPT199
- All Models Include A UL® Level 3 Bullet Resistant Faceplate Insert

MODEL #	OVERALL DIMENSIONS	FRAME FACE	TRANSFER AREA	WALL OPENING	WEIGHT (LBS)
SPT198	18"W x 25"D x 9"H	21 3/8"W x 11 1/8"H	13 5/8"W x 17 3/4"D x 7 7/8"H	19 5/8"W x 9 1/2"H	80 +/-
SPT319	18"W x 25"D x 9"H	21 3/8"W x 11 1/8"H	13 3/4"W x 9 5/8"D x 7 7/8"H	19 5/8"W x 9 1/2"H	76 +/-
SPT-FR101	18"W x 25"D x 9"H	21 3/8"W x 11 1/8"H	13 5/8"W x 17 3/4"D x 7 7/8"H	19 5/8"W x 9 1/2"H	70 +/-
SPT150	18"W x 25"D x 5"H	21 3/8"W x 8"H	13 3/4"W x 20"D x 4 1/8"H	19 5/8"W x 6 1/4"H	69 +/-
SPT160	18"W x 25"D x 5"H	21 3/8"W x 8"H	13 3/4"W x 18 1/2"D x 2 3/4"H	19 5/8"W x 6 1/4"H	64 +/-
SPT350	12"W x 16 3/4"D x 3 3/4"H	14"W x 5 3/4"H	9 1/2"W x 5 1/2"D x 1 7/8"H	12 1/4"W x 4"H	24 +/-
SPT354	12"W x 24"D x 3 3/4"H	14"W x 5 3/4"H	9 1/2"W x 8 1/16"D x 1 7/8"H	12 1/4"W x 4"H	34 +/-

# ER SERIES TRANSACTION DRAWERS

ER Series Drawers Are Ideal Solutions For Pharmacies, Convenience Stores, Correctional Facilities, Financial Facilities, Fast Food Restaurants & Government Facilities



**MODEL #SPT300**  
Right Hand Handle

**FEATURES:**

- Large Transfer Area Handles Beverages Cases & Gallon Containers
- Designed For Installation In Up To 4 1/2" Thick Walls
- Interlocking Lid Prevents Physical Contact Between Operator & Customer
- Easy Reach Design Allows Quick Access For Walk-Up & Drive-Up Customers Or Mobility Impaired Customers
- Includes High-Rise Change Tray Model #SPT792
- Optional Accessory: Free-Standing Cup Holder Model #SPT199
- Both Models Include A UL® Level 3 Bullet Resistant Faceplate Insert
- **Model #SPT301 Is A Left Hand Version Of Model #SPT300**



**MODEL #SPT301**  
Left Hand Handle

**FEATURES:**

- Full-Depth, Sliding Upper Deal Tray For Low Profile Items, Documents Or Payment Transactions
- Large Capacity, Direct Pass-Thru Area For Easy Access & Transfer Of Large Items
- Secured Interlock System Prevents Simultaneous Opening Of Both Doors
- Includes Trim Kit & Keyed Lock
- Designed For Installation In Up To 8" Thick Walls
- Flexible Design To Accommodate A Variety Of Applications
- UL® Level 3 Bullet Resistant Material Throughout The Front Door, Rear Door & Front Of Sliding Tray



**MODEL #SPT355**  
Package Passer

MODEL #	OVERALL DIMENSIONS	FRAME FACE	TRANSFER AREA	WALL OPENING	WEIGHT (LBS)
SPT300	21 3/4"W x 16 3/4"D x 14 15/16"H	21 3/4"W x 12 15/16"H	18 15/64"W x 14 9/32"D x 9 1/2"H	22"W x 13 1/4"H	85 +/-
SPT301	21 3/4"W x 16 3/4"D x 14 15/16"H	21 3/4"W x 12 15/16"H	18 15/64"W x 14 9/32"D x 9 1/2"H	22"W x 13 1/4"H	85 +/-
SPT355	16"W x 25"D x 20 5/8"H	16"W x 20 1/2"H	13 9/16"W x 23 5/8"D x 14 7/8"H	16 1/4"W x 20 3/4"H	130 +/-

All Products Can Be Customized For Your Specific Requirements

# LC SERIES TRANSACTION DRAWERS

Duo Series Drawers Are An Ideal Solution For Pharmacies, Convenience Stores, Correctional Facilities, Law Enforcement & Government Facilities

# DUO SERIES TRANSACTION DRAWERS



**MODEL #SPT155**

**FEATURES:**

- Full-Depth Locking, Sliding Upper Deal Tray
- Models SPT145 & SPT183 Are Designed For Installation In Up To 4 1/2" Thick Walls
- Model #SPT155 Is Designed For Installation In Up To 8" Thick Walls
- Large Transfer Area
- Optional Accessories:
  - WeatherGuard Frame Model #SPT532 (Model #SPT145)
  - WeatherGuard Frame Model #SPT667 (Model #SPT183)
  - WeatherGuard Frame Model #SPT571 (Model #SPT155)
- All Models Include A UL® Level 3 Bullet Resistant Faceplate Insert

MODEL #	OVERALL DIMENSIONS	FRAME FACE	TRANSFER AREA	WALL OPENING	WEIGHT (LBS)
SPT145	16"W x 21"D x 10"H	16"W x 10"H	13 1/2"W x 6 3/8"D x 6 5/8"H	16 1/4"W x 10 1/4"H	67 +/-
SPT183	16"W x 21"D x 15"H	16"W x 15"H	13 1/2"W x 6 3/8"D x 11 5/8"H	16 1/4"W x 15 1/4"H	73 +/-
SPT155	16"W x 25"D x 20 1/2"H	16"W x 20 1/2"H	13 1/2"W x 9"D x 15 1/2"H	16 1/4"W x 20 3/4"H	99 +/-

**MODEL #SPT145**

**MODEL #SPT183**



LC Series Drawers Are An Ideal Solution For Correctional Facilities, Law Enforcement, Weapons Transfer & Government Facilities

# LC SERIES TRANSACTION DRAWERS



**MODEL #SPT360**



**MODEL #SPT336**

MODEL #	OVERALL DIMENSIONS	FRAME FACE	TRANSFER AREA	WALL OPENING	WEIGHT (LBS)
SPT336	36"W x 16 3/4"D x 12"H	37 3/8"W x 14"H	32 5/8"W x 13 1/4"D x 9 9/16"H	36 1/8"W x 12 1/8"H	95 +/-
SPT360	60"W x 16 3/4"D x 12"H	61 3/8"W x 14"H	56 5/8"W x 13 1/4"D x 9 9/16"H	60 1/8"W x 12 1/8"H	190 +/-

# INTERCOM SYSTEMS

# DT SERIES

## DEAL TRAYS

Deal Trays Are An Ideal Solution For Transactions In Any Market



**MODEL #SPT103**  
**MODEL #SPT104**

Stationary Deal Trays  
With Non-Ricochet Interior



**MODEL #SPT100**  
**MODEL #SPT158**  
**MODEL #SPT159**

Stationary Deal Trays



**MODEL #SPT094**

Sliding Deal Tray

### FEATURES:

- Perfect Security Solution For Cashier Windows Or Other Secured Areas
- Models SPT100, SPT103, SPT104, SPT158 & SPT159 Are Stationary For Installation In Counter Tops
- Models SPT103, SPT104 Have A Double-Sided Non-Ricochet Curved Interior
- Model #SPT094 Features A Stationary Base & Sliding Tray For Installation In Counter Tops
- All Models Have A Curved Interior For Easy Coin & Currency Removal

MODEL #	OVERALL DIMENSIONS	TRANSFER AREA	COUNTER TOP CUT-OUT	WEIGHT (LBS)
SPT100	10"W x 8 1/8"D x 1 5/8"H	8" W x 6 3/4"D x 1 9/16"H	8 1/4"W x 7 1/8"D x 1 7/8"H	3 +/-
SPT103	12"W x 10"D x 1 3/4"H	10" W x 7 7/8"D x 1 5/8"H	10 1/4"W x 8 1/2"D x 1 7/8"H	2.5 +/-
SPT104	14"W x 12"D x 1 3/4"H	12" W x 9 7/8"D x 1 5/8"H	12 1/4"W x 10 1/2"D x 1 7/8"H	3 +/-
SPT158	12"W x 9 1/4"D x 1 5/8"H	10" W x 8"D x 1 9/16"H	10 1/4"W x 8 1/4"D x 1 13/16"H	4 +/-
SPT159	14"W x 12"D x 2"H	12" W x 10"D x 1 7/8"H	12 1/4"W x 10 1/4"D x 2 1/8"H	5 +/-
SPT094	10"W x 15"D x 1 1/2"H	7 3/4"W x 6 1/4"D x 1 1/4"H	8 1/4"W x 13 1/4"D x 1 9/16"H	6 +/-

### INTERCOM PACKAGES

#### MODEL #SPT020 SURFACE MOUNT KIT

##### INCLUDES:

- Surface Mounted Speaker
- Surface Mounted Microphone
- Overall Dimensions (Boxed) - 15"W x 11"D x 5"H
- Approx. 7 lbs.



#### MODEL #SPT021 FLUSH MOUNTED KIT

##### INCLUDES:

- Flush Mounted Speaker
- Flush Mounted Microphone
- Overall Dimensions (Boxed) - 15"W x 11"D x 5"H
- Approx. 6 lbs.



#### MODEL #SPT022 OVERHEAD SPEAKER & WINDOW MOUNTED MICROPHONE KIT

##### INCLUDES:

- Window Mounted Microphone
- Overhead Speaker
- Overall Dimensions (Boxed) - 13"W x 13"D x 7"H
- Approx. 6 lbs.



#### ALL INTERCOM SYSTEM KITS INCLUDE:

Window Intercom Amplifier, Gooseneck Staff Unit  
With Adjustable Neck & Three-Way Mute Switch,  
Power Supply & Under Counter Hearing Loop Aerial

# TRANSACTION DRAWER ACCESSORIES

### CUSTOMER CONVENIENCE SHELVES



**MODEL #SPT203**





**MODEL #SPT146**

### FEATURES:

- Stainless Steel
- Perfect Wall-Mounted Solution For Customer Transaction Areas
- Couple These Shelves With Any Of Our Security Drawers
- Model #SPT203 - 16"W x 9"D x 5"H - Approx. 5 lbs.
- Model #SPT146 - 12"W x 8"D x 5 1/2"H - Approx. 4 lbs.

### WEATHERGUARD FRAMES



SHOWN CLOSED

SHOWN OPEN

### FEATURES:

- Stainless Steel Frame With Metal Hinge & Plexiglas Cover
- Designed To Help Protect Transferred Objects From Being Exposed To The Elements
- Model #SPT532 - 19 13/16"W x 3/4"D x 13 3/8"H - Approx. 7 lbs.
- Model #SPT667 - 19 13/16"W x 3/4"D x 18 3/8"H - Approx. 8 lbs.
- Model #SPT571 - 19 13/16"W x 3/4"D x 23 3/4"H - Approx. 9 lbs.

### FREE-STANDING CUP HOLDER

##### FEATURES:

- Stainless Steel
- (3) Holes For Beverage Cups
- For Use Inside Of ER Series Model #SPT300 & Model #SPT301 As Well As T-Wall Series Model #SPT198 & Model #SPT319
- 13 5/32"W x 5"D x 2"H - Approx. 3 lbs.



**MODEL #SPT199**

# SECURE CASEWORK CABINETRY, STORAGE & SHELVING SOLUTIONS

## SECURE STORAGE LOCKERS



**Large Capacity Storage Cabinets  
For Organizing & Storing Valuable  
Belongings & Equipment**



### FEATURES:

- Adjustable Shelves
- Locking Swing-Out Doors
- Doors Can Be Solid, Mesh Or Plexiglass

All Products Can Be Customized For Your Specific Requirements



12



## RECORD LOG PROCESSING DESKS

### STANDARD FEATURES:

- Stainless Steel Over Wood Core Bench Tops
- Stainless Steel Chase Panels
- Leg Levelers

### LOWER CABINET OPTIONS:

- Locking Door Storage Cabinets
- Locking Door / Drawer Storage Cabinets
- Trash Cabinets

### UPPER CABINET OPTIONS:

- Upper Storage Cabinets With Locking Flip-Up Gas Shock Door
- Monitor Enclosure Cabinets
- LED Task Lights

All Products Can Be Customized For Your Specific Requirements



High-Density Heavy-Duty Drawer Units Can Save  
30% - 50% Of Floor Space For Smaller Parts

## GENERAL SHELVING WITH OR WITHOUT HIGH-DENSITY HEAVY-DUTY DRAWERS

### GENERAL SHELVING:

Widths - 36" & 48" • Depths - 12", 18" & 24" • Heights - 85" & 97"

### GENERAL SHELVING WITH DRAWERS:

Widths - 36" & 48" • Depths - 18" & 24" • Heights - 85" & 97"

- Drawers Can Be Moved On Unit
- Additional Drawers & Shelves Can Be Purchased As Single Or Multiple Units
- Drawers Include Dividers & Partitions (Excludes 9" Drawers)
- Add-On Drawer Kits Include: Drawer, Drawer Slides & Handle
- Snap-Bracket Shelf Support For Quick Shelf Changes
- Shelves Are Re-Enforced With Box Design For Greater Weight Capacities
- Shelves Available In Gray Or White Only
- Sliding Or Fixed Dividers Are Available For Sub-Dividing Shelves
- No Mounting Kit Required To Install Drawers
- Back Panels & End Panels Included On Drawer Units
- Add-On Units & Back-To-Back Double Rows Available



## BULK SHELVING

WIDTHS - 48", 72" & 96" • DEPTHS - 24", 36" & 48" • HEIGHT - 84"

### FEATURES:

- Easy To Assemble Rivet-Style Shelving
- Waterfall Wire Mesh Shelving Is Standard
- Add-On Units & Back-To-Back Double Rows Available

MANY SECURE CASEWORK  
CABINETRY, STORAGE & SHELVING  
CONFIGURATIONS AVAILABLE.  
CALL SHURE FOR MORE DETAILS!

# TERMS & CONDITIONS

## **PRICES AND CONDITIONS**

All manufactured products (standard and engineered to order) are painted to the customer's purchase order specifications. All orders are painted to order and then processed for shipment. The prices and specifications for Shure Manufacturing Corporation shown herein are subject to change without notice, except when covered by specific contracts. Prices in effect at the time of shipment will apply. All orders are subject to acceptance by Shure Manufacturing Corporation, and availability of materials. Orders may be subject to strikes, accidents, material shortages, government actions, civil disturbance, plant calamities or disasters, acts of God and any other delays unavoidable or beyond our control. Clerical errors are subject to corrections. Ordered items may be subject to cancellation by Shure Manufacturing Corporation without notice.

## **QUOTATIONS**

All quotations made are informational only and do not constitute a contract. The prices and products in all quotations are based upon Shure's understanding of the customer's specific equipment requests. Clerical errors are subject to correction.

## **TAX**

Federal, municipal, state sales and/or use taxes will be charged where applicable unless your tax exemption certificate ID is furnished to us.

## **CREDIT TERMS**

Regular terms of sale are cash in advance. However, a customer's credit rating or credit experience may be satisfactory for open account transactions. New customers wishing to apply for an open account should submit a credit application with the most recent audited financial statement & four current trade references. Banks do not make suitable trade references. Orders for "Custom Manufacturing" or "Engineered-To-Order" may require an advance payment deposit or complete payment prior to shipment. These orders are non-cancelable after production has begun & are non-returnable. Shure's sales quotations will outline the advance payment requirements. Allow sufficient time for credit processing. Minimum order charge is \$15.00. Shure will accept credit cards (Visa, MC, Discover & AMEX only) and all credit card charges will be subject to a 3% convenience charge.

## **DEPOSIT REQUIREMENT**

Shure Manufacturing Corporation orders may require an advance payment deposit. Shure's quotations will specify deposits required for the order.

## **INTERNATIONAL CREDIT TERMS**

International exports will require full payment in advance of shipment unless otherwise negotiated and agreed to in writing by Shure.

## **CUSTOMER INITIATED ORDER REVISIONS**

Customer initiated order revisions will be reviewed on a case-by-case basis to determine if additional charges or manufacturing lead time extensions are required. Contact your Shure Regional Sales Manager with any questions regarding order revisions. Order revision requests initiated by the customer must be submitted by the customer in writing. These requests will be reviewed on a case-by-case basis to determine the feasibility, applicable additional charges, and whether or not manufacturing lead time extension is required. Contact Shure Customer Service with any questions regarding order revisions.

## **CUSTOMER INITIATED SHIPPING DELAYS**

Customer initiated shipping delays within 14 days of the originally established shipping date will result in an invoice issued for payment. The invoice will be issued on the originally established shipping date with actual freight charges to be billed after the order is shipped. Storage charges may apply for all orders delayed greater than 14 days from the originally established shipping date.

## **CANCELLATIONS**

All Shure Manufacturing Corporation's product lines are considered "Custom Manufactured". Once these orders are placed in Shure's manufacturing production schedule, they are non-cancelable. Orders that are shipped are non-returnable. Shure Manufacturing Corporation reserves the right to assess any cancellation charges or forfeiture of any advance deposits.

## **TITLE AND RISK OF LOSS**

Title and risk of loss passes to buyer upon delivery of the goods at the delivery point. As collateral security for the payment of the purchase price of the goods, buyer hereby grants to seller a lien on and security interest in and to all of the right, title and interest of buyer in, to and under the goods, wherever located, and whether now existing or hereafter arising or acquired from time to time, and in all accessions thereto and replacements or modifications thereof, as well as all proceeds (including insurance proceeds) of the foregoing. The security interest granted under this provision constitutes a purchase money security interest under the Missouri Uniform Commercial Code.

## **REQUEST FOR A RETURN OF GOODS**

Shure will not accept any returned shipments without pre-authorization by Shure. Requests to return products will be reviewed and determined on a case-by-case basis. All Shure orders are painted to customer's purchase order specifications and generally "configured" to the customer's facility requirements. Any authorized returned products are subject to a minimum 15% handling & restocking charge, plus any necessary repair and / or refurbishing costs. There are absolutely no cash refunds. Any authorized refunds will be issued as a credit. Any authorized return shipments must be shipped directly to Shure's Washington, Missouri location freight prepaid.

## **DAMAGED SHIPMENTS**

All Shure products are carefully and securely packed in accordance with carrier requirements. The receipt of our merchandise by the transportation company ends Shure's responsibility. However, for your protection, before accepting any shipment, examine it carefully. If there is evidence of damage or shortage, insist that the delivering carrier make suitable notation to that effect on the freight bill before signing. If, after receipt of shipment, concealed damage is discovered, notify the carrier immediately. **CAUTION:** When you give the delivering carrier a clear receipt for a shipment in which there is damage or shortage, the carrier is relieved of further responsibility. Any claim for damage, shortage, loss or delay must be filed by you with the delivering carrier within 10 days of receipt of shipment. Your recourse is with the delivering carrier.

## **DELIVERY INTERVAL**

Shure Manufacturing Corporation is committed to providing high-quality products and appreciates receiving purchase orders with sufficient production lead-times. All Shure Manufacturing Corporation products are considered "Custom Manufactured" as all products are painted to order. Manufacturing and production lead times and delivery intervals vary by product type, quantity ordered and current production schedule. Requests for expedited delivery intervals will be evaluated on a case-by-case basis and are dependent upon product type, quantity ordered and current production schedule.

## **INVOICE PAYMENT**

Shure invoices are payable in US Dollars.

## **ORDER DELAYS**

Any order that production has begun may be subject to warehouse storage fees.

## **SHIPMENTS**

All shipments are made F.O.B. Shure Manufacturing Corporation, 1901 West Main Street, Washington, MO 63090. Transportation charges will be prepaid and added to the invoice unless otherwise requested and agreed upon. A service charge will be added for all prepaid shipments. On occasion it may be necessary to back order certain items. Shure will not assume any responsibility for additional transportation charges.

*Note: Product design and specifications of all products or quote are subject to change without notice.*

# PRODUCT WARRANTY

Shure Manufacturing Corporation warrants to the purchaser of this product that should it fail, due to defective manufacturing workmanship and/or materials, within 13 months from the date of shipment (or within 12 months of the date of installation in the case of resold products) Shure will repair or replace, at Shure's discretion, any defective part or unit without charge for the replaced part or unit.

Shure will furnish a replacement part, or unit, warranted for the remainder of the original warranty period, FOB Washington, Missouri. This Warranty does not include labor or any other costs incurred for routine servicing, maintenance servicing, replacing, removing, shipping or handling of either defective or replacement parts, or the complete unit, except as stated above. This Warranty also excludes all costs associated with removal, dismantling, shipping and installation of any replacement parts. Purchaser is responsible for any removal, freight, and installation or handling charges of the installing dealer, distributor or contractor. These costs may be covered by a separate warranty provided by the installing/selling dealer, distributor or contractor.

For resold products, in establishing the date of installation used in determination of the starting date for the 12 month term of this Warranty, proof of the original installation date must be presented (Purchaser must present original records that establish the installation date of the unit), otherwise the effective period of the Warranty will be based upon the date of shipment to the installing/selling dealer, distributor or contractor.

This Limited Warranty applies only if the product is installed in compliance with manufacturer instructions, local installation and building codes, maintained according to manufacturer instructions and operated under normal working conditions and good trade practices. This Warranty does not cover damage caused by accident, negligence or abuse; operating the product in an negligent manner; modification, alteration, repair or service of the product by anyone other than an agent of the installing/selling dealer, distributor or contractor; failure to provide proper maintenance and service to the product according to the Manufacturer's instructions; installation of the product in a manner contrary to the instructions of the Manufacturer; acts of God.

## To Obtain Warranty Parts And/Or Replacement Service:

1. Purchaser must notify the installing/selling dealer, distributor or contractor within the applicable Warranty period. The installing/selling dealer, distributor or contractor may then contact, on Purchaser's behalf, or have Purchaser contact direct, Shure to discuss the failure circumstances, provide Limited Warranty documentation and possible remedial action.

2. If replacement is required, Purchaser must furnish billing information for the replacement parts before shipment from Shure. Upon return of the replaced unit, in the replacement shipping material to Shure Manufacturing Corporation, 1901 West Main Street, Washington, MO 63090, and at Shure's discretion after inspection of the returned parts or unit, Purchaser's Warranty account will be credited for the amount of the replacement part(s) or unit. Shure reserves the right to reject any Warranty damage claims resulting from accident, negligence or abuse; operating the product in an negligent manner; modification, alteration, repair or service of the product by anyone other than an agent of the installing/selling dealer, distributor or contractor; failure to provide proper maintenance and service to the product according to the Manufacturer's instructions; installation of the product in a manner contrary to the instructions of the Manufacturer; acts of God.

3. If the replaced part(s) or unit is (are) not received within 30 days of replacement part shipping, or at Shure's discretion, all Limited Warranty failure conditions are not met, Purchaser will be billed for the full amount of the replacement part(s) or unit. Any order that production has begun may be subject to warehouse storage fees.



Questions Regarding The Terms And Conditions  
Of This Limited Warranty May Be Addressed To:

**Shure Manufacturing Corporation**  
1901 West Main Street • Washington, MO 63090

*Thank You*  
For The Opportunity To Be Of Service!



636-390-7100, EXT. 7176

[www.SHURESAFE.COM](http://www.SHURESAFE.COM)

SHURESAFESALES@SHUREUSA.COM  
1901 West Main Street • Washington, MO 63090



*Version 6 / 7-22-2025*  
© 2025 Shure Manufacturing Corporation

*PROUDLY MADE  
IN THE USA*

NOTE: Product design and specifications of all products in this catalog are subject to change without notice.  
NOTE: The images and colors illustrated in this catalog are representational only and may vary from actual powder coat paint color.